

The Oracle logo is displayed in a bold, orange, sans-serif font against a solid black rectangular background. The word "ORACLE" is written in all caps, with a registered trademark symbol (®) positioned at the top right of the letter "E".

# Oracle Database 10g The Self-Managing Database

Benoit Dageville  
Oracle Corporation  
[benoit.dageville@oracle.com](mailto:benoit.dageville@oracle.com)

A small, white, sans-serif version of the Oracle logo is centered within a horizontal orange bar that spans the width of the slide.

## Agenda

- Oracle10g: Oracle's first generation of self-managing database
- Oracle's Approach to Self-managing
- Oracle10g Manageability Foundation
- Automatic Database Diagnostic Monitor (ADDM)
- Self-managing Components
- Conclusion and Future Directions

ORACLE

# Oracle10g

ORACLE

## Oracle10g

- Oracle10g is the latest version of the Oracle DBMS, released early 2004
- One of the main focus of that release was self-management
  - Effort initiated in Oracle9i
- Our vision when we started this venture four years ago: **make Oracle fully self-manageable**
- We believe Oracle10g is a giant step toward this goal

ORACLE

# Oracle's Approach


ORACLE

# Oracle's Approach: Server Resident

- Technology built inside the database server
  - Eliminate management problems rather than “hiding” them behind a tool
  - Minimize Performance Impact
  - Act “Just in Time” (e.g. push versus pull)
  - Leverage existing technology
  - Effective solutions require complete integration with various server components
    - server becoming so sophisticated that a tool based solution can no longer be truly effective
  - Mandatory if the end-goal is to build a truly self-managing database server

ORACLE

# Oracle's Approach: Seamless GUI Integration



ORACLE

## Oracle's Approach: **Holistic**

- Avoid a collection of point solutions
- Instead, build a comprehensive solution
  - Core manageability infrastructure
    - Comprehensive statistics component
    - Workload Repository
    - Server based alerts
    - Advisory framework
  - Central self-diagnostic engine built into core database (Automatic Database Diagnostic Monitor or ADDM)
  - Self-managing Components
    - Auto Memory Management, Automatic SQL Tuning, Automatic Storage Management, Access Advisor, Auto Undo Retention, Space Alerts, Flashback....
- Follow the self-managing loop: **Observe, Diagnose, Resolve**

ORACLE

## Oracle's Approach: **Out-of-box**

- Manageability features are enabled by default
  - Features must be very robust
  - Minimal performance impact
  - Outperform manual solution
  - Self-managing solution has to be self-manageable!
    - Zero administrative burden on DBAs
- Examples
  - Statistics for manageability enabled by default
  - Automatic performance analysis every hour
  - Auto Memory Management of SQL memory is default
  - Optimizer statistics refreshed automatically
  - Predefined set of server alerts (e.g. space, ...)
  - And much more.....


ORACLE

# Oracle's Approach: Manageability for All

- Low End Customers
  - No dedicated administrative staff
  - Automated day to day operations
  - Optimal performance out of the box, no need to set configuration parameters
- High End Customers
  - Flexibility to adapt product to their needs
  - Self-management features should outperform manual tuning and ensure predictable behavior
  - Need to understand and monitor functioning of self-management operations
  - Help DBAs in making administrative decisions (no need for DBA to be rocket scientist!)
- Any workload: OLTP, DSS, mixed


ORACLE

# Oracle's Approach: Manageability Architecture




ORACLE

# Manageability Infrastructure



ORACLE

# Manageability Infrastructure: Overview




## Foundation for Self-managing

- **Workload Statistics Subsystem**
  - Intelligent Statistics
  - AWR: "Data Warehouse" of the Database
- **Automatic Maintenance Tasks**
  - Pre-packaged, resource controlled
- **Server-generated Alerts**
  - Push vs. Pull, Just-in-time, Out-of-the-box
- **Advisory Infrastructure**
  - Integrated, uniformity, enable inter-advisor communication

ORACLE

## Statistics: Overview




## Statistics: Classes

- Database Time Model
  - Understand where database time is spent
- Sampled Database Activity
  - Root cause analysis
- What-if
  - Self managing resource (e.g. memory)
- Metrics and Metric History
  - Trend analysis, Capacity planning
  - Server alerts (threshold based), Monitoring (EM)
- Base Statistics
  - Resource (IO, Memory, CPU), OS, SQL, Database Objects, ...



## Statistics: Database Time Model



- **Operation Centric**

- Connection Management
- Compilation
- SQL, PLSQL and Java execution times

- **Resource Centric**

- Hardware: CPU, IO, Memory
- Software: Protected by locks (e.g. db buffers, redo-logs)

ORACLE


## Statistics: Sampled Database Activity

- In-memory log of key attributes of database sessions activity
- Use high-frequency time-based sampling (1s)
- Done internally, direct access to kernel structures
- Data captured includes:
  - Session ID (SID)
  - SQL (SQL ID)
  - Transaction ID
  - Program, Module, Action
  - Wait Information (if any)
    - Operation Type (IO, database lock, ...)
    - Target (e.g. Object, File, Block)
    - Time

→ Fine Grained History of Database Activity

ORACLE

## Statistics: Sampled Database Activity



V\$ACTIVE\_SESSION\_HISTORY

Time	SID	Module	SQL ID	State	Wait
7:38:26	213	Book by author	qa324jffritcf	WAITING	Block read
7:38:31	213	Get review id	aferv5desfzs5	CPU	
7:38:35	213	Add to cart	hk32pekfcdbfr	WAITING	Busy Buffer Wait
7:38:37	213	One click	abngldf95f4de	WAITING	Log Sync


ORACLE

## Statistics: What-if (Overview)

- Predict performance impact of changes in amount of memory allotted to a component, both decrease and increase.
- Highly accurate, maintained automatically by each memory component based on workload.
- Use to diagnose under memory configuration (ADDM).
- Use to decide when to transfer memory between shared-memory pools (Auto Memory Management).
- Not limited to memory (e.g. use to compute auto value of MTTR)
- Produced by
  - Buffer cache
  - Shared pool - integrated cache for both database object metadata and SQL statements
  - Java cache for class metadata
  - SQL memory management - private memory use for sort, hash-joins, bitmap operators

ORACLE

## Statistics: What-if (Example)



- Reducing buffer cache size to 10MB increases IOs by a 2.5 factor
- Increase buffer cache size to 50MB will reduce IOs by 20%

ORACLE

## Base Statistics – e.g. SQL

- Maintained by the Oracle cursor cache
- SQL id – unique text signature
- Time model break-down
- Sampled bind values
- Query Execution Plan
- Fine-grain Execution Statistics (iterator level)
- Efficient top SQL identification using  $\Delta$ s


ORACLE

## AWR: Automatic Workload Repository

- Self-Managing Repository of Database Workload Statistics
  - Periodic snapshots of in-memory statistics stored in database
  - Coordinated data collection across cluster nodes
  - Automatically purge old data using time-based partitioned tables
  - Out-Of-The-Box: 7 days of data, 1-hour snapshots
- Content and Services
  - Time model, Sampled DB Activity, Top SQL, Top objects, ...
  - SQL Tuning Sets to manage SQL Workloads
- Consumers
  - ADDM, Database Advisors (SQL Tuning, Space, ...), ...
  - Historical performance analysis

ORACLE

## Automatic Database Diagnostic Monitor (ADDM)



ORACLE

## ADDM: Motivation

**Problem: Performance tuning requires high-expertise and is most time consuming task**

- Performance and Workload Data Capture
  - System Statistics, Wait Information, SQL Statistics, etc.
- Analysis
  - What types of operations database is spending most time on?
  - Which resources is the database bottlenecked on?
  - What is causing these bottlenecks?
  - What can be done to resolve the problem?
- Problem Resolution
  - If multiple problems identified, which is most critical?
  - How much performance gain I expect if I implement this solution?

ORACLE


## ADDM: Overview

- Diagnose component of the system wide self-managing loop
- ... and the entry point of the resolve phase
- Central Management Engine
  - Integrate all components together
  - Holistic time based analysis
  - Throughput centric top-down approach
  - Distinguish symptoms from causes (i.e root cause analysis)
- Runs proactively out of the box (once every hour)
  - Result of each analysis is kept in the workload repository
- Can be used reactively when required

→ **ADDM is the system-wide optimizer of the database**

ORACLE

# How Does ADDM Work?




ORACLE

# ADDM: Methodology

## Problem classification system

- Decision tree based on the Wait Model and Time Model



ORACLE

## ADDM: Taxonomy of Findings

- Hardware Resource Issues
  - CPU (capacity, top-sql, ...)
  - IOs (capacity, top-sql, top-objects, undersized memory cache)
  - Cluster Interconnect
  - Memory (OS paging)
- Software Resource Issues
  - Application locks
  - Internal contention (e.g. access to db buffers)
  - Database Configuration
- Application Issues
  - Connection management
  - Cursor management (parsing, fetching, ...)


ORACLE

## ADDM: Real-world Example


- Reported by Qualcomm when upgrading to Oracle10g
- After upgrading, Qualcomm noticed severe performance degradation
- Looked at last ADDM report
- **ADDM was reporting high-cpu consumption**
  - **and identified the root cause: a SQL statement**
- ADDM recommendation was to tune this statement using Automatic SQL tuning
- Automatic SQL tuning identified missing index. The index was created and performance issue was solved
- In this particular case, index was dropped by accident during the upgrade process!

ORACLE

# Self-managing Components



# Self-managing Components






# Automatic Memory Management

- Shared Memory Management
  - Automatically size various shared memory pools (e.g. buffer pool, shared pool, java pool)
  - Use “what-if” statistics maintain by each component to trade off memory
  - Memory is transferred where most needed
- Private Memory (VLDB 2002)
  - Determine how much memory each running SQL operator should get such that system throughput is maximized
  - Global memory broker: compute ideal value based on memory requirement published by active operators
  - Adaptive SQL Operators: can dynamically adapt their memory consumption in response to broker instructions
- No need to configure any parameter except for the overall memory size (remove many parameters)


ORACLE

# Automatic Shared-Memory Management: Tuning Pool Sizes



ORACLE

# Automatic SQL Tuning: Concept




# Automatic SQL Tuning: Overview

- Performed by the Oracle query optimizer running in tuning mode
  - Uses same plan generation process but performs additional steps that require lot more time
- Optimizer uses this extra time to
  - Profile the SQL statement
    - Validate data statistics and its own estimate using dynamic sampling and partial executions
    - Look at past executions to determine best optimizer settings
    - Optimizer corrections and settings are stored in a new database object, named a “SQL Profile”
  - Explore plans which are outside its regular search space
    - Ÿ To investigate the use of new access structures (i.e. indexes)
    - Ÿ To investigate how SQL restructuring would improve the plan


ORACLE

# Automatic SQL Tuning: SQL Profiling

## SQL Profiling



## After ...




- Persistent: works across shutdowns and upgrades
- SQL profiling ideal for packaged applications (no change to SQL text)

ORACLE


# SQL Profiling: Performance Evaluation

Using 73 high-load queries from GFK, a market analysis company located in Germany

Before...



...After



ORACLE

## Automatic SQL Tuning: What-if Analysis

- Schema changes: invokes access advisor
  - Comprehensive index solutions (b-tree, bitmap, functional)
  - Materialized views recommendations maximizing query rewrite while minimizing maintenance cost
  - Any combination of the above two (e.g. new MV with an index on it)
  - Consider the entire SQL workload
- SQL Structure Analysis
  - Help apps developers to identify badly written statements
  - Suggest restructuring for efficiency by analyzing execution plan
  - Solution requires changes in SQL semantic → different from optimizer automatic rewrite and transformation
  - Problem category
    - Semantic changes of SQL operators (NOT IN versus NOT EXISTS)
    - Syntactic change to predicates on index column (e.g. remove type mismatch to enable index usage)
    - SQL design (add missing join predicates)

ORACLE

## Conclusion & Future Directions

- Oracle10g major milestone in the Oracle's manageability quest
  - Manageability foundation
  - Holistic Management Control (ADDM)
  - Self-manageable components
- Future
  - Oracle11g: find an EVE for ADDM?
  - Even more self-manageable by fully automating the resolve phase

ORACLE

## More Information?

- Automatic SQL Tuning in Oracle10g,  
B. Dageville, D. Das K. Dias, K. Yagoub, M. Zait,  
M. Ziauddin, VLDB 2004  
*Industrial Session 4: Thursday 11:00- 12:30*
- SQL memory management in Oracle9i,  
B. Dageville and M. Zait, VLDB 2002
- Oracle Technical Papers  
<http://www.oracle.com/technology/products/manageability/database/index.html>

ORACLE

ORACLE®